

## INTRODUCTION

This PCI-Express USB 3.1 Host Controller Card complies with the Universal Serial Bus 3.1 Specification Revision 1.0 and PCI Express Generation 2 specification. The Super Speed USB 3.1 standard, operating at 10 Gbps full-duplex mode, is 2 times faster than USB 3.0 Super-Speed (5Gbps) standard. The product is also backward compatible with current USB 3.0 /USB2.0 devices running at Super-Speed (5Gbps), High-Speed (480 Mbps), Full-Speed (12 Mbps), and Low-Speed (1.5 Mbps) modes. This product is an ideal choice for desktop computer needing larger volume and higher speed data transfer connectivity with USB devices, such as external Hard Disk Drive, Solid State Drive (SSD), optical drive, high definition video camera, etc.

## FEATURES AND SPECIFICATION

### General

- Based on Asmedia USB 3.1 Host Controller IC
- Compliant with Intel eXtensible Host Controller Interface specification revision 1.1
- Supports Standard and Low-profile desktop computer
- Support driver on Windows 10/8.1/8/7 32-/64-bit operating systems

### PCI-Express Interface

- PCI-Express 2.0 2-Lane (x4 for factor) interface / PCI-Express 3.0 1-Lane interface \*
- Supports PCI-Bus Power Management Interface Specification Revision 1.2

### USB Interface

- Compliant with Universal Serial Bus 3.1 Specification Revision 1.0
- USB 3.1(10 Gbps) host ports, backward compatible with USB3.0 Super-Speed (5 Gbps), USB 2.0 High-Speed (480Mbps), Full-Speed (12Mbps) and Low-Speed (1.5Mbps) interface
- Supports all USB compliant data transfer types (Control / Bulk / Interrupt / Isochronous)
- Supports all USB compliant peripherals (e.g. keyboard, mouse, monitor, joystick, etc.)
- Full support of real time dynamic insertion and removal of USB devices
- Internal HDD power connector for supplying +5V power to the USB ports

## PACKAGE CONTENTS

Please check whether the package contains following items. If any item is missing or damaged, please contact the retailer as soon as possible:

- PCI-Express USB 3.1 Host Controller Card (x1)
- Driver CD (x1)
- User Manual (x1)

## SYSTEM REQUIREMENT

- Motherboard with one available x4, x8 or x16 PCI-Express 1.0 / 2.0/ 3.0 slot. PCI Express 2.0 /3.0 slot is highly recommended for fully utilizing the Super Speed USB 3.1 (10 Gbps) bandwidth.
- Supported operation system
- Optical drive for driver installation

### WARNING

Before installing and activating the controller card, please make sure you have a complete backup of your existing data from hard drives. Manufacturer is not responsible for data loss due to abuse, misuse, or neglect. Should you have any installation problem, please contact your dealer for assistance.

## HARDWARE INSTALLATION

1. Turn off your computer and all external devices connected to it.
2. Disconnect your computer from the power sources.
3. Open the computer case. Refer to your computer user manual for more details.
4. Locate an available PCI-Express slot (preferably a PCI Express 2.0 /3.0 slot) and remove the slot bracket. Save the bracket screw for later use.
5. Align the controller card horizontally with respect to the PCI-Express slot and insert it into the slot firmly and evenly.
6. Once the controller card is properly positioned into the slot, fasten it to the computer case with the bracket screw which has been previously saved.
7. To get power for USB devices, connect the power cable to the controller card from the power supply unit (PSU) of the computer.
8. Secure the computer case and switch on your computer.

## DRIVER INSTALLATION

### Installing Windows driver:

1. Insert the driver CD disc into the optical drive. Assume the optical drive letter is **D:**.
2. Go to the driver folder **D:\Asmedia\ASM1142\**
3. Double click on "**setup.exe**"
4. The Installation Wizard will guide you through the setup process. Follow the on-screen instruction until the installation is completed.

### Verifying Driver Installation

To verify if the driver has been installed correctly, make sure the following items appear in the Universal Serial Bus Controllers category in the Windows Device Manager, and there is no yellow exclamation mark next to any of these items, then you have successfully installed the driver for the product.

# GETTING THE LATEST DRIVER, SOFTWARE & DOCUMENT

<http://www.drivers-download.com>

Search for the following Download Code from "Drivers Search":

<b>Chipset</b>	<b>Description</b>	<b>Download Code</b>
ASMedia	PCI-Express to USB 3.1 controller card	DL-0411256

\* For some models only.

All specifications and information are subjected to change without prior notice

All brand /company names, logos and trademarks referenced in this manual are the property of their respective owners

Our products including the packaging are not toys and they might contain small parts and sharp objects. Please keep away from children